

## BRERA

### Version

Worktop - 89 cm - 800 m3/h

### Designer

### Collection

Cooking systems

### EAN code

8034122900353



*The photograph is purely for information  
It may not correspond to the selected version.*

## FEATURES

Residual heat indicators  
Recall function: restore settings cooktop in case of accidental switching off  
Keep warm function: maximum temperature 70°  
Slider touch controls with red LED display  
9 cooking levels + Double Booster  
Pot detector sensor  
Automatic cut-off timer (for each cooking zone)  
Timer / minute minder  
Safety switch-off / safety lock function  
Pause function  
Double Bridge Function  
Chef function: setting 4 different power levels in the 4 cooking zones  
Brushless Motor  
Carbon.Zeo filter maintenance warning  
Auto mode (suction speed automatically adjusts to cooking power)  
4 cooking areas with Flex Surface technology  
Motorized flap system  
Power level management from 2.8kW to 7.4kW - Increment of 0.2kW

## TECHNICAL FEATURES

**Installation type**  
Worktop  
**Dimensions**  
89 cm  
**Finishing**  
Schott black ceramic glass  
**Motor**  
800 m<sup>3</sup>/h  
**Type of control**  
Touch control

## PACKAGING:WEIGHTS AND VOLUMES

**Gross weight**  
35.5 kg  
**Net weight**  
30.3 kg  
**Volumes**  
0.29 m<sup>3</sup>  
**Packaging size**  
Length  
980 mm  
Height  
480 mm  
Depth  
615 mm

## CONSUMPTION AND CONNECTION FEATURES

**Maximum consumption**  
7560 W  
**Voltage**  
220-240V  
**Frequency**  
50-60Hz

## MOTOR TECHNICAL SHEET

**Maximum capacity**  
690 m<sup>3</sup>/h  
I.E.C. 61591  
**Maximum noise level**  
66 dB(A)re1pW  
I.E.C.60704-2-13  
**Maximum pressure (Pa)**  
680 Pa  
**Max. motor power**  
150 W  
**ENERGY CLASS**  
A+++






## OPTIONAL ACCESSORIES

### KACL.1006

Kit Acc. - Filter Carbon. Zeolite renewable

### KACL.1026

Silence Kit



## BRERA

### Version

Worktop - 89 cm - 800 m3/h

### Designer

### Collection

Cooking systems


### EAN code

8034122900353

## MOTOR TECHNICAL SHEET

Motor speed	1	5	9	10
Noise level dB(A)re1pW-I.E.C.60704-2-13	44	57	65	66
Capacity (m3/h) I.E.C.61591	254	460	640	690
Maximum pressure (Pa)	200	650	670	680
Motor Power (W)	11	50	110	150
Air outlet	150	150	150	150

## CAPACITY / PRESSURE



BRERA

**Version**

Worktop - 89 cm - 800 m3/h

**Designer**


**Collection**

Cooking systems

**EAN code**

8034122900353

**ENERGY LABEL**



PF		
S	Falmec Spa	
M	Worktop - 89 cm - 800 m3/h	
AEC	16,5	kWh/a
EEC	A+++	
FDE	43,4	
FDEC	A	
LE	0,0	
LEC		
GFE	87,0	
GFEC	B	
Qmin	254,0	m <sup>3</sup> /h
Qmax	640,0	m <sup>3</sup> /h
Qboost	690,0	m <sup>3</sup> /h
SPEmin	44	dBa
SPEmax	65	dBa
SPEboost	66	dBa
PO	-	W
PS	0,48	W
PI		
F	0.4	
EEl	21,3	
Qbep	384,0	m <sup>3</sup> /h
Pbep	460	Pa
Qboost	690,0	m <sup>3</sup> /h
Wbep	690,0	W
WL	0,00	W
Emiddle	0	lux
Lwa-SPEmax	65	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency class / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEI\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Qboost\_Maximum air flow / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa-SPEmax\_Sound pressure level at the highest speed.