

## MONOLITH

### Version

Monolith - 90 cm - Black - 800 m<sup>3</sup>/h

### Designer

### Collection

Elements

### EAN code

8034122364698

## FEATURES

Touch control

LED ambient light

Optional combined regenerable

Carbon.Zeo filter

Optional remote control

Brushless Motor

Dialogue system with auto mode

Designers Studio Ferriani & Falmec Lab

## OPTIONAL ACCESSORIES

### KACL.1006

Kit Acc. - Filter Carbon. Zeolite renewable

### KACL.1010

Cutting board 293x128 mm in natural beech wood

### KACL.1011

Cutlery tray (1 compartment) 293x128x54 mm in natural beech wood

### KACL.1012

Cutlery tray (2 compartments) 293x128x54 mm in natural beech wood

### KACL.1013

Cutlery tray (4 compartments) 446x128x54 mm in natural beech wood

### KACL.1014

Knife rack 446x128x54 mm in natural beech wood

### KACL.1015#H4F

Accessory sockets (usb + electrical)

### KACL.1018#NF

Monolith plant basin 30 cm

### KACL.1021

Spices tray

### KACL.1026

Silence Kit

### KACL.453#NF

Monolith accessory module 30 cm

### KACL.454#NF

Monolith accessory module 60

## TECHNICAL FEATURES

### Installation type

Worktop

### Dimensions

90 cm

### Finishing

Black glass satin finishing

Black anodized satin aluminium profiles

### Motor

800 m<sup>3</sup>/h

### Type of control

Touch control

### Speed settings

4

### Ambient lighting

Led 3000K



*The photograph is purely for information  
It may not correspond to the selected version.*

## PACKAGING:WEIGHTS AND VOLUMES

### Gross weight

31.9 kg

### Net weight

26.6 kg

### Volumes

0.25 m<sup>3</sup>

### Packaging size

Length

1035 mm

Height

330 mm

Depth

740 mm

## CONSUMPTION AND CONNECTION FEATURES

### Maximum consumption

180 W

### Voltage

220-240V




### Frequency

50-60Hz


### ENERGY CLASS

A+++


cm  
**KACL.455#NF**  
Monolith accessory module 90  
cm  
**105080053**  
Remote control




*Hood module 90 cm*




*Wall installation*



*Side view*



*Top view with front-mounted motor*



*Top view with rear-mounted motor*

*Container module 30 cm*

*Container module 60 cm*

*Container module 90 cm*

## MONOLITH

### Version

Monolith - 90 cm - Black - 800 m<sup>3</sup>/h

### Designer


### Collection

Elements

### EAN code

8034122364698

## ENERGY LABEL



PF		
S	Falmec Spa	
M	Monolith - 90 cm - Black - 800 m <sup>3</sup> /h	
AEC	16,5	kWh/a
EEC	A+++	
FDE	43,4	
FDEC	A	
LE	0,0	
LEC	0	
GFE	87,0	
GFEC	B	
Qmin	440,0	m <sup>3</sup> /h
Qmax	620,0	m <sup>3</sup> /h
Qboost	670,0	m <sup>3</sup> /h
SPEmin	59	dBa
SPEmax	65	dBa
SPEboost	66	dBa
PO	-	W
PS	0,48	W
PI		
F	0,4	
EEL	21,3	
Qbep	384,0	m <sup>3</sup> /h
Pbep	460	Pa
Qboost	670,0	m <sup>3</sup> /h
Wbep	113,0	W
WL	0,00	W
Emiddle	0	lex
Lwa-SPEmax	65	dBa

**PF\_Product fiche according to 65/2014** S\_Supplier name / M\_Model identification / AEC\_Annual Energy Consumption (AEC hood) / EEC\_Energy Efficiency class / FDE\_Fluid Dynamic Efficiency (FDE hood) / FDEC\_Fluid Dynamic Efficiency class / LE\_Lighting Efficiency (LE hood) / LEC\_Lighting Efficiency class / GFE\_Grease Filtering Efficiency / GFEC\_Grease Filtering Efficiency class / Qmin\_Air flow (in m<sup>3</sup>/h) at min speed in normal use / Qmax\_Air flow (in m<sup>3</sup>/h) at max speed in normal use / Qboost\_Air flow (in m<sup>3</sup>/h) at intensive or boost setting (max air-flow) / SPEmin\_Airborne acoustical A-weighted sound power emissions at min speed in normal use / SPEmax\_Airborne acoustical A-weighted sound power emissions at max speed in normal use / SPEboost\_Airborne acoustical A-weighted sound power emissions (in dB) at intensive or boost setting / PO\_Power consumption in off mode (Po) / Ps\_Power consumption in stand by mode (Ps). **PI\_Additional information according to 66/2014** F\_Time increase factor / EEL\_Energy Efficiency Index / Qbep\_Measured air flow rate at best efficiency point / Pbep\_Measured air pressure at best efficiency point / Wbep\_Measured electric power input at best efficiency point / WL\_Nominal power of the lighting system / Emiddle\_Average illumination of the lighting system on the cooking surface / Lwa-SPEmax\_Sound pressure level at the highest speed.